

# NATIONAL STANDARDS COMMISSION

### WEIGHTS & MEASURES (PATTERNS OF INSTRUMENTS) REGULATIONS

# REGULATION 9

#### CERTIFICATE OF APPROVAL No 6/4D/200

This is to certify that an approval has been granted by the Commission that the pattern of the

Toledo Model 8211 Scale and Datachecker Model T 2600 Cash Register

submitted by Toledo-Berkel Pty Ltd, 525 Graham Street, Port Melbourne, Victoria, 3207.

is suitable for use for trade.

The approval of the pattern is subject to review on or after 1/8/85.

All instruments purporting to comply with this approval shall be marked with the following approval numbers:

On the scale: NSC No 6/4D/84
On the cash register: NSC No 6/4D/200

Relevant drawings and specifications are lodged with the Commission.

#### Conditions of Approval

- The approval is limited to 15 Toledo Model 8211 Scales each connected to a Datachecker Model T 2600 located at Safeway Store, Doncaster, Vic, and 18 identical installations at Safeway Store, Karingal, Vic.
- The approval of the Datachecker is limited to those functions described in the Technical Schedule.

Signed

Executive Director

## Descriptive Advice

### Pattern:

approved 20/3/81

. Toledo 8211 weighing instrument of 9.995 kg capacity by 5 g scale interval connected to a Datachecker T 2600 cash register.

Technical Schedule No 6/4D/200 dated 16/4/81 describes the pattern.

#### Filing Advice

This Certificate and Technical Schedule replace Certificate of Approval No P6/4D/200 and Technical Schedule No P6/4D/200 both of which may be destroyed.

16/4/81



# NATIONAL STANDARDS COMMISSION

### TECHNICAL SCHEDULE No 6/4D/200

Pattern:

Toledo Model 8211 Scale and Datachecker Model T 2600

Submittor:

Toledo-Berkel Pty Ltd,

525 Graham Street,

Port Melbourne, Victoria, 3207.

### 1. Description of Pattern

### 1.1 Weighing Instrument

Toledo Model 8211 Scale (Figures 1 and 2)

Capacity:

9,995 kg

Scale interval:

5 a

Described in Technical Schedule No 6/4D/84, Variation No 5.

#### 1.2 Cash Register

Datachecker Model T 2600 (Figures 1, 2, 3 and 4).

The Datachecker is an electronic cash register deriving weight information from the Toledo Model 8211 Scale.

Max price:

\$399.99

Max unit price:

\$99.99/kg

By means of the keyboard the operator can produce tickets in the forms illustrated in Figures 6 to 13; only those formats illustrated may be used for trade.

The Datachecker performs other management functions not subject to pattern approval.

# 1.3 Sealing

The scale is sealed in the manner described in Technical Schedule No 6/4D/84.

The cash register is sealed in the manner shown in Figure 5.

#### 1.4 Marking

Marking of the scale shall be as described in Technical Schedule No 6/4D/84 Variation No 5. In addition the cash register shall be marked with the Approval No NSC No 6/4D/200 in a position which is clearly visible to the inspector either in the form of a metal plate screwed to the instruments or other similar permanent marking.

#### TEST PROCEDURE No 6/4D/200

1. Tests on the Toledo Model 8211 Scale are carried out in accordance with Technical Schedule No 6/4D/84 Variation No 5, using Table 1 of this Technical Schedule in place of Table 1 of 6/4D/84.

Note: The cash register will not print with zero weight or price.

- 2. Price computing accuracy -
  - (a) Set the cash register to training mode.
  - (b) The indications and, as appropriate, the printings of mass, unit price and price as listed in Table 1, will indicate that the price computing and weight circuits are functioning correctly. The exact figures should be indicated as rounding is effected within the cash register.
  - (c) During this test a 'T' will be printed obscuring the 10's of cents column e.g. 1.T6. This is acceptable provided that the indication of calculated price displayed is correct, and all other figures print correctly.

TABLE 1

Indicated Mass	Unit Price	Price
kg	\$/kg	\$
0.000	00.00	00.00
0.100	<b>99.</b> 99	10.00
0.105	98 <b>.</b> 99	10.39
0.150	93,99	14.10
0,200	79 <b>.</b> 77	15 <b>.</b> 95
0.500	49.44	24.72
0.750	24.00	18,00
1,500	<del>99</del> .98	149.97
2,000	25.73	51.46
5,000	14.45	72,25
7,000	48,57	339.99
8,005	49.96	399.93
9,995	26.76	267.47

Test Procedure - 9.995 kg Instrument with Unit Price to \$99.99/kg and Price to \$399.99.



# NATIONAL STANDARDS COMMISSION

### CANCELLATION OF CERTIFICATE OF APPROVAL No 6/4D/200

This is to certify that Certificate of Approval No 6/4D/200 for the pattern of the

Toledo Model 8211 Scale And Datachecker Model T2600 Cash Register

submitted by Toledo Scale (Australia) Ltd 525 Graham Street Port Melbourne, Victoria, 3207

will expire in respect of new instruments on 1 September 1983.

Instruments which were verified before that date may, with the concurrence of the State or Territorial verifying authorities, be submitted for reverification.

Signed


Executive Director



Toledo Model 8211 Scale and Datachecker Model T 2600




Mass Indicator and Datachecker Indicator as displayed to purchaser




Datachecker Model T 2600



FIGURE 6/40/200 - 4





Sealing Datachecker Circuit Board



- \* 12.89TTL is printed after SUB-TOTAL key is pressed; items can still be purchased at this stage and new TTL printed.
- \*\* If there are no further pruchases TOTAL key is pressed, 12.89ITL and 12.89ITL are printed and the cash drawer opens. (In countries where point-of-sale tax is charged the tax is added automatically between ITL and TTL).

Ticket showing general codes






					111 111		BK DEL	11.	.,,	17L	
19,80	ST 1.23 R 1 0.01A	04/16	125MT	1 1665	11087		A9BK 210DEL	10.39 TTL		10.3917L 10.3917L	11 CST
					item						
					Coded item			· · · · · · · · · · · · · · · · · · ·			
	180	0.01A		4.56BK	3.51DEL 2.00GR	17651	121617L	1216116	1216TTL		You
	19.80	8 1	작 기 / 학 기		0003				-		THANK

Ticket showing sub-total

THANK



ST 123
R 1 0.01A
04/16. 1.25MT
5.66PR
5.99LI
A9BK
2.100EL
10.39TTL
10.39TTL
113 CST
THANK YOU

Ticket lowing credited item

Ticket showing voided if

